Receiving Report Batch No: 124158 Date: Supplier: Dart P/O: Packing Slip: Yes No Release Note Attached: N/A Invoice: Yes No Waybill Attached: Yes Νo Receipt: Shipment Complete:
QC6 Inspection Cash Cr Work Order N/A Discrepancies Part Quantity Quantity Quantity Quantity Description Comments Number Ordered Received Returned Short 0 76T6 S.10 0 Initials of receiver (if shipment OK) Level 12 Production/Admin: Date Location Received/Costing Initial

H:\FORMS\Purchasing\approved purch\RECREPORT Rev D

Purchase Order Receipt Listing

Monday, January 07, 2013 3:07:12 PM

All amounts are calculated in domestic currency.

All Line Item Types All Vendors PO ID PO18641 Receipt Dates from 1/7/2013 to 1/7/2013
All Item ID/GL/WOs All Rec. Employees All Currencies
Grouped by Vendor ID

Book Amt	\$671.36	\$1,160.71	24.7084 0.0000 0.0000	\$1,832.07
	0	0		
MRB Reject Qty			uantity:) U/M): nantity:	Value:
Inspected Oty/ Rejected Oty (PO U/M)	0.0000	0.0000	Total Received Quantity: Total Qty to Inspect (PO U/M): Total Reject Quantity:	Total Balance Due Ouantity:
Cost Per Unit/ Recv Value	\$55.75	\$91.63	Total	Tot
Recv Qty (PO U/M)	12.0417	12.6667		
Recv Date/ Recv Emp	(2/28/2012 1/7/2013 12:0000 DESJ02	1/7/2013 DESJ02		
Required Date Required Qty	12/28/2012	12/28/2012		
				,
PO U/M / Stock U/M	Metaux Castle)X4.000 f .250 X f	250 f		Y
Reference/ Description/ Cert Std	VC-MET001 Metaux Cas M174B0.250X4.000 f 17-4 SS Bar.250 X f 4.00	124158 M174B1.500X02.250 f 17.4 SS Bar 1.50 f X2.250	174138	
Project ID Reference/ Description Cert Std	VC-M			
Line Nbr/ Insp Req	idor Name 2 No	. 4 No		
Purchase Order ID/ Curr Type	VendorID\Vendor Name PO18641 2 —CAD No			14



BORDEREAU DE MARCHANDISES

A. M. Castle & Co.

Page 1 of 1

No de Formulaire d'Emballage / Shipment No:1589496

Expédié de / Ship From: Vendu	Vendu à / Sold To:	Expédié à / Ship To:	l ivrá à / Deliver To:
A. M. Castle & Co. (Canada) DART	DART AEROSPACE LTD	DART AEROSPACE LTD	DART AFROSPACE I TD
1270 /	1270 ABERDEEN	1270 ABERDEEN	1270 ABERDEEN
HAWK	HAWKESBURY, ON K6A 1K7	HAWKESBURY, ON K6A	HAWKESBURY ON
CA		1K7 CAN	K6A 1K7
			N. A.
			4
			9
	Modalités de transport Freight Terms	Modalités de transport / Transporteur / Carrier Freight Terms	No du Bon de connaissement
ORIGIN	Prepaid	MANITOULIN	1589496-2

Détails d'expédition / Shipment Details	dition / Shipr	nent Details		Dest	ination finale / Final	Destination finale / Final Destination Branch - MON	MOM
N° de commande / N° de ligne	nde / N° de l		N° d'article / Item No	Desc	Description		
Oi del INO	TILLE IND	0					
2592699	5	66427.BO	30	0.250	30.4.0000.FLAT.17CF	0.2500.4.0000.FLAT.17CR-4NI.STAINLESS.HR.ANN.144.0000	ANN.144.0000
3.0				SPE	SPECIFICATIONS: AMS 5643	5643	
N° de bon de commande	commande /	N ^{bre} de pièces	1:	Oté	Qté commandée / Ordered Qtv	d Otv Oté Facturée	ráp /
Purchase Order No	er No	Part Number					1
18641				40.80	40.80 LBS	12.0417 FT	
Détails / Details AMS 5643	Is AMS 564	13					
N° de	Usine / Mill	No de coulée	e / Code méc Pièce	Pièce	Largeur (Pouce)/	Londour (Pouce) Oté expédiée/	Oté expédiée/
livraison /		Heat Number	ir //Mech ld	8/	Width (IN)	Lehath (IN)	Shinned Otv(1 BS)
Delivery No:				PCS			form bodding
118277618	FRY STEEL	(A12030 \		1.0		144 5000	44 0000
	COMPANY))))))
of a manufactual distant	- A	Con march and line has been a line and a single with the line and a single with the line and the					

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, werefare exported thereunder. Diversion contrant to US Law is Prohibited.

These commodities/fechnologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, werefare exported thereunder. Diversion contrant to US Law is Prohibited.

Nous certificions part is présente que le matériel couvert par cette certification est conforme aux spécifications surmentionnées et aux exigences applicables pour le matériel, y compris toute spécification fait and activité de consernant du matériel défectueux sera rejetée à moins qu'elle ne soft faite par écrit à A. M. Castle & Co. dans les 60 jours suivant la livraison. Le matériel coupe sur mesure ou coupé par le client in peut être rétouré pour crédit.

We hereby certify the material covered by this certifications conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material covered by this certification material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment.

Date: Ce matériel a été reçu et inspecté par Reviewed by Authorized Castle Metals Representative:

These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to US law prohibited. Date Printed: 04-JAN-2013 11:43:47 AM

CERTIFIED BY

CRUCIBLE INDUSTRIES LL SPECIFICATIONS AND IS IN CONFORMANCE WITH THE SPECIFICATION REQUIREMENTS. THE ABOVE MATHEL WAS MANUFACTURED AND TESTED ACCORDANCE WITH ABOVE

8 5

TIARET

CHAPTER47 RODUCTS TECHNICAL DATA. TECHNOLOGY AND SERVICES OF CAUCIBLE INDUSTRIES LLC ARE SUBJECT TO U.S. EXPORT CONTROLS UNDER THE FRAUDULEN. STATEMENTS ON THIS DOCUMENT MAY BE PUNISHED AS A FELONY UNDER FEDERAL STATUTES, INCLUDING FEDERAL LAW TITLE 18. COMPLIANCE WITH INDUSTRY STANDARDS ASTM A370, E8, E10, E18, E391, E604, E572, E1019, ANDE1086, THE RECORDING OF FALSE, FICTITIOUS OR AND WORKS. WIDER THE GUIDELINES OF NCA 3800 USING OP MANUAL DATED 3/10/11. WE ARE COMPLIANT WITH EU DIRECTIVE S002/95/EC (ROHS). REACH EN 10204 S004 3 AND DEARS S52 S25 7001 7002,7009,7009 MATERIAL IS OF WAFTA ORIGIN MATERIAL TESTING IS PERFORMED ON A PROLONGATION OF THE BAR. INDUSTRIES LC HOLDS A CERTIFICATE OF REGISTRATION TO 180 9001 :2008 PRESSURE EQUIPMENT DIRECTIVE (PED) 97/23/EC 7/2 ANNEX 1 PARAGRAPH 4.3 WE PROVIDE MATERIAL THAT IS FREE FROM MERCURY CONTAMINATION AND RADIATION AT THE TIME OF SHIPMENT. NO WELD REPAIR IS DONE CRUCIBLE THANK YOU ! OR SELECTING A QUALITY PRODUCT MELTED AND MANUFACTURED WITH PRIDE AT CRUCIBLE INDUSTRIES LLC LOCATED IN SOLVAY. NY 13209, USA

CHIE SANDOVAL - Q.C. MANAGER

2102 1.2 nov

RECEIVED AND INSPECTED BEDOUT NOW ON FILE A TRUE COPY OF THE ORIGINAL MILL TEST FRY STEEL CO. CERTIFIES THAT THIS IS

OK

MACRO

MATERIAL SOLUTION TREATED AT 1900 DEG. F. - AIRCOOLED. AS SHIPPED MATERIAL CONDITION

£.74 RED/AREA\$ 6. PI & EFONCED 0/0 VΩ 184,740 XID' S# BZI MAGNAFLUX F/S

BHN 456 ONDIN 094'012 LENSIFE BZI HYKDNESS TOMBLIANT

HR. AIRCOOL: HEAT CAPABILITY AFTER 900 DEG. F.

HEAT CHARACTERISTICS

BHM 343\340

HARDNESS

AS SHIPPED PROPERTIES

600 262 3:16 77 4.43 15.12 65. 120. 29 054 870 ΑT CB ດລ OW X.3 IN IS S đ NW 3

CHEMICAL ANALYSIS

ASTM-A564-10 TYPE 630 CAPABLE OF MBO 160-003-C (EX HDNS & UT) CRU(17CR ANI HE)SOL TRTD PKLD II-\$8\$A-MTSA TAIT 052 X 000.

BZIS DESCRIPTION OF MATERIAL

SOLVAY, NY USA

SHIPPED FROM

QUANTITY SHIPPED 646 LBS. 1 BDL

NAMNIH J

CIT INSIDE SALES REP.

SANTA FE SPRINGS, CA 90670

133SP WOLETTE ST

FRY STEEL COMPANY

SOLVAY, NY 13209 S75 STATE FAIR BLVD.

Cert Date: 08/23/12

133SP WOLETTE ST

FRY STEEL COMPANY

1/1 4894101

01/41/2/2-140/4

CUSTOMER P.O.

SANTA FE SPRINGS, CA 90670

014410

CUSTOMER PART NO.

A12030 HEAT NO.

P5-27265-2-01

CIT ORDER NO.

Caste Model Model



BORDEREAU DE MARCHANDISES

Page 1 of 1

No de Formulaire d'Emballage / Shipment No:1589496

1589496-2	MANITOULIN	Prepaid	CHIGIN	04-JAIN-2013
/ BOL No		Freight Terms		/ Date Shipped
No du Bon de connaissement	Transporteur / Carrier	Modalités de transport / Transporteur / Cari	on F.O.B.	Date d'expédition
2	S			H9R 3S2
			E, QUEBEC	POINTE CLAIRE, QUEBEC
X8A 1K7		CA	VENUE	835-SELKIKK AVENUE
HAWKESBURY, ON	HAWKESBURY, ON K6A HAV	HAWKESBURY, ON K6A 1K7		NON REAL
1270 ABERDEEN				
DART AEROSPACE LTD	DART AEROSPACE LTD DAF	CE LTD		A. M. Castle & Co. (Canada)
Livré à / Deliver To:	Expédié à / Ship To: Livr		1	expedie de / Snip From:

Détails d'expédition / Shipment Details

-Destination-finale / Final-Destination Branch - MON

contraire aux regements de l'Exportaire sur superies aux regements de l'Exportaire aux regements de l'Exportaire aux lois des Étais-Unis est interdite. These commodities/fechnologies are subject to US Export Administrat Nous certifions par la présente que le matériel couvert par cette certifessal sont archivés pour fins de consultation. Toute requête concerna client ne peut être retourné pour crédit. Vie hereby certifix the material couvered by the continue of the contraire.	Ces marchandises technologics cont		Delivery No: 118277620 FRY	••		8/ Details Us son / Pry No: FR' 77620 FR'	Details / Details / N° de Using the livraison / Delivery No : 118277620 FRY CON	bon de cominase Order Nosase Order Order Nosase Order O	N° de-bon de commande / Purchase Order No 18641 Détails / Details AMS 56 N° de Usine / Mill livraison / Delivery No : 118277620 FRY STEEL COMPANY	N° de bon de comm Purchase Order No 18641 Détails / Details / N° de Usi Ilvraison / Delivery No :	N° de bon de comm Purchase Order No 18641 Détails / Details / Delivery No : 118277620 RON DE LON FRY	N° de-bon de comme Purchase Order No 18641 Détails / Details Usi Usi Delivery No : 118277620 FRY
contrairie aux lois des États-Unis est interdite. These commodities/technologies are subject to US Export Administration et du département d'état des Etats-Unis. Si elles ont été/sont exportées, ellei Contraire aux lois des États-Unis est interdite. These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, it intended for export, were/are exported thereunder. Dix Nous certifions par la présente que le matériel couvert par cette certification est conforme aux spécifications susmentionnées et aux exigences applicables pour le essai sont archivés pour fins de consultation. Toute requête concernant du matériel défectueux sera rejetée à moins qu'elle ne soit faite par écrit à A. M. Castle & Collent ne peut être setement enur redefi	COMPANY (G18827)	Heat Number	Usine / Mill No de coulée /	AMS 5643		Part Number	nande / N ^{bre} de pièces			1 9199.BC	Line No	N° de commande / N° de ligne N° d'a
stration et du département d'état des Etats State Dept. Regulations and, if intended for t conforme aux spécifications susmention iriel défectueux sera rejetée à moins qu'el	1.0	per / Mech ld s / PCS	ée / Code méc Pièce	the second secon					1	ВО		N° d'article / Item No
contrairie aux lois des Etats-Unis est interdite. These commodifies/elechnologies are subject to US Export Administration et du département d'état des Etats-Unis. Si elles ont été/sont exportées, elles doivent se conformer à ces règlements. Toute modification du contrat de transport These commodifies/elechnologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited. Nous certifions par la présente que le matériel couvert par cette certification est conforme aux spécifications susmentionnées et aux exigences applicables pour le matériel, y compris toute spécification faisant partie de la description. Les rapports d'essait et activités pour fins de consultation. Toute requête concernant du matériel défectueux sera rejetée à moins qu'elle ne soit faite par écrit à A. M. Castle & Co. dans les 80 jours suivant la livraison. Le matériel coupé sur mesure ou coupé par le client ne peut être retourné pour crédit.			ce Largeur (Pouce)/		137.70 LBS		Qté commandée / Ordered Qty	SPECIFICATIONS; AMS 5643	00-156.0000	1.5000.2.2500.FLAT.170		Description
s doivent se conformer à ces règlements. Toute modification du contrat de transport rersion contrary to US Law is Prohibited. matériel, y compris toute spécification faisant partie de la description. Les rapports o. dans les 80 jours suivant la livraison. Le matériel coupé sur mesure ou coupé par	152.0000	Length (IN)	Longueur (Pouce)/	the second secon	/ 12.6667.F1	Invoice Qty	ed Qty Qté Facturée	\$ 5643		Z@R-4NI.STAINLESS.HR.ANN.PICKLE.132.00		
a modification du contrat de fransport partie de la description. Les rapports d' ériel coupé sur mesure ou coupé par le	146.0000		Oté expédiée/		 	tv	rée /			ANN.PICKLE.132.00		

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description.

Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned

Ce matériel a été reçu et inspecté par Reviewed by Authorized Castle Metals Representative: Castle Notation
HEAT NUMBER
LOT N

68816

A Universal Stainless & Alloy Products Company Dunkirk Specialty Steel, LLC

.bA medgha 0£8 P.O. Box 319

Dunkirk, NY 14048

Material Certification

ĸ FRY STREL CO P.O. DATE: 1/26/2012

CHICAGO, IL 60623 4201 WEST 36TH ST 0 I C/O C.M.I. FREIGHT SNWHL L

Material Description: STAINLESS STEEL ALAT BAR 17-4 EME-AOD HOT MOLLED SOLUTION TREATED FICKLED AMS 2303F, AMS 5643E (e30 condition A), Rockwell ME0160-003D (except hardness & UT/MT0501-510);

Ħ

38

a.

편관

IN

RANDOM LENGTH

DZ D

\$00.0

NHE SOP

HYEDNESS

0.029

90010

70.0

126.0000 MAX

7'49

W/Wk

S'LT

Membgement System documented at QP Manual, Rev. 5 dated 7/1/2011, conforming to MCA-3800, Material testing performed as applicable in accordance with FETM A370, Active, to general performed as applicable in accordance with FETM A370, Active, to general and many many he particular as a febray under federal stratument on this document many he particular as a febray under federal stratument as applicable in accordance with FETM A370, Active, to general many her particular as a febray under federal stratument many her particular as a febray under federal stratument as a particular as a septiment of the particular as a septi

Neited and manufactured in compliance with DEASA SS2.825-7014 LT 1. Melted by CAPA in Bridgerile, PA., USA. Certification IAW DIA 50.049 (EN 10204 3.1. Mideral complies with EU disections to week a certification of connect statement of records that were Cerved from its samples of the majority confined to be a connect statement of records that were Cerved from its samples in service statement of the majority confined to a Halk Na is larger and the service confined to the service statement of the majority confined to the service statement of the service statement of

N YC 10.0> IT TO'0> TY 10.0> AT NR CU 3.24 ZO . 0> 03 ٨ 20.0> W CF 15.38 9410 NW 750.0

X\8 KRI 347 BHN

5'06T ISX S/L

8.102

(NIM 0000, SEL X 0002.5 X 0002.1

SANTA TE SPRINGS, CA 90670

P.O. BOX 4048

ERY STEEL COMPANY

Z-T0697

0Z09T#S

409£\$00

DAINERSTY DONKIEK

WYCHELIC SYMICTE: E/2 = 0/0

FERRITE: <5%

MELT SOURCE:

H900 CAP:

HYBDMESS:

GIBBSA

7

Э

P.O. NUMBER:

SYKL NOWBER!

MILL ONDER:

Heat Number

MACRO ETCH TEST: ACCEPTABLE

MATERIAL MANUFACTURED IN THE USA

OR ENTRIES ON THIS DOCUMENT MAY BE PUNISHED AS A FELONY UNDER KNOWINGLY RECORDING FALSE, FICTITIOUS OR FRAUDULENT STATEMENTS FOR AN APPROPRIATE TIME, FOLLOWED BY AIR COOLING. THIS MATERIAL WAS SOLUTION TREATED AT A TEMPERATURE OF 1900' F

MYLEBIYT METLED IN THE USA BY UNIVERSAL STAINLESS & ALLOY PRODUCTS, BRIDECEVILLE,

>H.J. Gawronski, Manager Q.A.

0Z09T #S FEDERAL STRIUTES INCLUDING PEDERAL LAW, TITLE 18 CHAPTER 47.

A TRUE COPY OF THE ORIGINAL MILL TEST FRY STEEL CO. CERTIFIES THAT THIS IS

04/30/15

RECEIVED AND INSPECTED REPORT NOW ON FILE

S105 2-0 YAM

ЯZ

8

OM

T00'0>

05.0

610'0

CB 0.26

PRINTED:

I to I PAGE MUMBER: 0016SV PUP 1006OS1

Quality System Registered to

4/30/12 09:26

111 8874101 08 6616

12/12/12 Change Date: Change Nbr: Certification required - YES Certificate of Conformity or Material No substitution or deviation without 2h95 ALONG LENGTH OF BAR AMS 5604/6543 GRAIN MUST BE MATERIAL: 17-4 PH SS BAR AS PER Special Inst: \$1,112.40 005E.348 Yours ppd 24.00 17-4 SS Bar 1.250 x 2.00 12/28/12 MI74BI.250K02.000 ٤ ALONG LENGTH OF BAR AMS 5604/6543 GRAIN MUST BE MATERIAL: 17-4 PH SS BAR AS PER Special mast 700/5/228 bqq sruoy 00.51 49.299\$ 17/28/17 17-4 SS Bar .250 X 4.00 M174B0.250X4.000 AMS 4045 OR ASTM B209 AS PER QQ-A-250/12 OR AMS-QQ-A-SHEEL MATERIAL: 7075-T6/T62 ALUMINUM Special Inst: JS 00.978\$ \$18.2500 48.00 Yours ppd 17/28/17 001. 15542 5T-2707 091.28767VM Vendhr Part Number Price Taxable Unit of Measure Line Nbr Reference Revision ID an gim Red Oty/ Ship Method Extended Unit Price Description/ Red Date/ CANADA HYMKESBURY, ON K6A 1K7 1510 ABERDEEN DART AEROSPACE LTD : oT qid2 Destination-Collect **EOB** CYD Сигтепсу Net 30 Terms Vendor Account Mbr 10127-2607 Tax Resale Nbr 1878 569 415 Vendor Fax Requisition Nbr SLS6 \$69 \$1S Vendor Phone Chantal Lavoie Buyer Contact Name TORONTO ON MSW OE9 P.O. BOX 40P0 STN A А.М. САЅҴॄҍ҉ & СО. (САИАDA) INC. - С/О 910720 METAUX **#**ASTLE VC-MET001 Order From: Page Number 1 of 2 PO Print Date 12/12/12 Fax: 613 632 1053 Purchase Order Date 12/12/12 Tel: 613 632 9577 Purchase Order ID PO18641 Hawkesbury, ON K6A 1K7 bace 1270 Aberdeen Street PURCHASE ORDER Dart Aerospace Ltd.


Change Date: 2/12/12 Срапде Ирг: Certification required (YES Certificate of Conformity of Material No substitution or deviation without RED DELIVERY 0t.12t,t8 PO Total: MOTTANIATTRIBO JAMATAM NOTE: A1SI 304/316 NOT ACCEPTABLE **PER ASTM A582** MATERIAL: AISI 303 SS ROUND BAR AS Special Inst: bqq sruoY 00.00 \$184.20 0070.5\$ 12/28/12 303 Round Bar 0.625" M303R0.625 NOTE: AISI 304/316 NOT ACCEPTABLE PER ASTM A582 MATERIAL: AISI 303 SS ROUND BAR AS Special Inst: Yours ppd \$122.40 0040.2\$ 17/28/17 303 Round Bar 0.500° M303R0.500 NOTE: AISI 304/316 NOT ACCEPTABLE MATERIAL: AISI 303 SS BAR AS PER Special Inst: refesfur TEF8 SC, 27.3358 Yours ppd 303 BAR 1" X 1" M303B1.d0dX1.000 ALONG LENGTH OF BAR AMS 5604/6543 GRAIN MUST BE C/10/8/1/ 6992131 MATERIAL: 17-4 PH SS BAR AS PER Special Inst: SƏ X t0't60'1\$ 0071.19\$ Yours ppd 15.00 17/28/17 17-4 SS Bar 1.50 X2.250 MI74B1.\$00X02.250 Destination-Collect FOB CVD Currency Terms Net 30 Vendor Account Nbr 10127-2607 Tax Resale Nbr 1878 969 \$18 Vendor Fax Requisition Nbr SLS6 \$69 \$15 Vendor Phone Chantal Lavoic Contact Name TORONTO ON MSW OE9 P.O. BOX 4090 STN A A.M. CASTLE & CO. (CANADA) INC. - C/O 910720 METAUX CASTLE **AC-MET001** Order From: Page Number 2 of 2 PO Print Date |2/12/12 Fax: 613 632 1053 Purchase Order Date 12/12/12 Tel: 613 632 9577 Purchase Order ID PO18641 Hawkesbury, ON K6A 1K7 bace 1270 Aberdeen Street PURCHASE ORDER Dart Aerospace Ltd.

S-LY -	h STY Gat	10 H 60.	50'h0	Ι¥
	91551 M3N	81 .1	10 20	A
YK NJE		9	1.40.50	atac 3
SHEET OF	8-h-LIW	-4	do	3147
А .vaя	DRAWING NO.	OEVORAGA	(ED /)	CHECK
KEESBURY, ONTARIO, CANADA		Y8 NWARD	业 ,	ISICI

MM. MM = MIDIN (IN INCHES)







FUNCHASE MATERIAL:

MINIMUM VIETO TEUSILE STREVETH = 150 KS! ארמעל דבאנטון מב פעור

PART NUMBER: MIT-4-8|TITIX WW. WWW WHERE TITE = THICKNESS (IN INCHES)

THICK HJ01M

EC. 0.5" x 30" CAR = MIT-4-BO.500 x 3.000

COPYHIGH ERPOSPACE LTD

COPYHIGH © 7202 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.